

BEUSSE BROWNLEE WOLTER MORA & MAIRE, P.A.

JAMES H. BRUSH
JACKSON O. BROWNLEE
JOHN L. DEANGELIS, JR.
DAVID G. MAIRE
CHRISTINE Q. MCLEOD
ENRIQUE J. MORA
NORMAN A. NIXON
TERRY M. SANKS
W. DAVID SAKTOR
TIMOTHY H. VAN DYKE
ROBERT L. WOLTER

390 N ORANGE AVENUE, SUITE 2500
ORLANDO, FLORIDA 32801
TELEPHONE (407) 926-7700
FACSIMILE (407) 926-7720
WWW.IPLAWFL.COM

OF COUNSEL
JOSEPH FISCHER

WRITER'S DIRECT DIAL/EMAIL
(407) 926-7727
jfisher@iplawfl.com

RECEIVED
CENTRAL FAX CENTER

DEC 08 2005


TO : Commissioner for Patents
COMPANY : USPTO
FAX No. : 1-571-273-8300
No of PAGES : 10 (including cover sheet)
FROM : Joseph Fischer
DATE : December 8, 2005
RE : Serial Number 10/820,090; Filed 04/07/2005
ATTY. DOCKET NO: 065913-002

VIA FACSIMILE ONLY

Attached please find for entry into the above-referenced application:


- 1) Reply/Response Under CFR 1.111 With Amendment (9 pages).

Yours truly,


Joseph Fischer
Reg. #51,210

Certificate of Transmission

I hereby certify that this correspondence is being
facsimile transmitted to the United States Patent and
Trademark Office, Fax No. 571-273-8300
on December 8, 2005.


Kathy L. Tissue

Certificate of Facsimile

I hereby certify that this correspondence is being
Forwarded to Fax No. 571-273-8300 and addressed
to the Commissioner for Patents, MAIL STOP
AMENDMENT, Alexandria, VA 22313-1450 on
December 8, 2005.

Kathy Tissue
By: Kathy Tissue

RECEIVED
CENTRAL FAX CENTER
DEC 08 2005

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re: Application of:)	
Applicants: H. Kenneth Holyoak)	Examiner: SHAW, Elizabeth Anne
Serial No.: 10/820,090)	Group Art Unit: 3644
Filed: 04/07/2005)	Confirmation No.: 7127
Title: Activated Feed Trough, Feeding Systems Incorporating Same, and Methods of Use of Same)	Atty. Docket No.: 065913-002

Mail Stop AMENDMENT
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

REPLY/RESPONSE UNDER CFR 1.111 WITH AMENDMENT

This Reply is in response to the Office Action dated as mailed September 9, 2005 and having a response due date of December 9, 2005. This is a timely Reply.

Please amend the above-identified application as follows:

Amendments to the Specification begin on page 2 of this paper.

Amendments to Claims are reflected in the listing of claims which begins on page 3 of this paper.

Remarks/Arguments begin on page 7 of this paper.